

Half



Milan

Half

A través de la máxima simplicidad del círculo y de sutiles movimientos, la nueva colección Half, diseñada por Francesc Rifé para Milan Iluminación, nos muestra nuevas coreografías de la luz, bailando en el espacio y rotando sobre sí misma. En su versión de pie y de mesa son dos los elementos de la misma escultura que existen por separado pero interactúan, se trata de diferentes estructuras de acero que elevan la esfera y por sus características le facilitan la movilidad.



REF: 6748+4757

Una interpretación emocional y sincera de la luna

Variante: Lacado negro mate, Lacado visón, Lacado oliva **Variations:** Matt black lacquering (RAL 9005), Matt mink lacquering (NCS-S2005-Y10R), Matt grey olive lacquering (RAL 6006)


Half



REF: 6748+4765

Half

Half



REF: 6748+4761

REF: 6742+4763

4

5

Half



REF: 6733(3)+4782(3)

6

Half



REF: 6733

7

Half




REF: 6742(2)+4766(2)+4768

A true emotional interpretation of the moon

Taking the ultimate simplicity of a circle and subtle movements, the new Half collection, designed by Francesc Rifé for Milan Illuminación, performs new choreographies of light, dancing in the air and rotating on itself. The floor and table lamp versions are two elements of the same sculpture that exist separately but interact—different steel structures that hold up the sphere and thanks to their features, enable movement.

Half



REF: 6748+4765



Diseño Francesc Rifé
Influenciado por el minimalismo y marcado por una historia familiar ligada a la artesanía, ha articulado toda su obra en torno al orden espacial y a la proporción geométrica.

Design by Francesc Rifé
Influenced by minimalism and following a familiar tradition linked to craftsmanship, his work focuses on ways of approaching spatial order and geometric proportion.


Half



REF: 6742(2)+4777

10

Half



REF: 6746+4760

11

Half

Half




REF: 6733+4782

12

13

Half

Half 16 S.




Características

Esfera de 160 mm diámetro, formada por dos medias bolas: base estampada en acero con acabados en lacado negro mate (RAL 9005), lacado visón (NCS S 2005–Y10R) y lacado oliva gris (RAL 6006) y, pantalla difusora en vidrio soplado opal satinado al ácido. Cable eléctrico negro, de 2 metros de longitud. Los colgantes disponen de cable de acero con sistema interno de seguridad, para regulación de la altura deseada del cabezal.


Acesorios

Accessories

4782



4784



Características

Bases de fijación a techo para uno, tres o cinco colgantes. Disponen de un sistema de rotación individual desde su eje, hasta 350 grados.

MLN Half

Datos técnicos

Technical data



Ø250 mm | H. 136 mm
1 x E27 Lámpara Esférica
Spherical bulb retrofit LED Code 2097 5,5 W
396 lumens | 2.700 K
Dimable | Dimmable
Clase II: Aislamiento básico
más aislamiento reforzado
Class II: Basic insulate plus reinforced insulation

Código

Code

6733 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
6734 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
6735 ● Lacado oliva gris / Grey olive lacquering (RAL 6006)


Acabados

Finishes

Properties

Sphere of 160 mm diameter, formed by two hemispheres: bases stamped in steel with finishes in lacquered matte black (RAL 9005), lacquered mink (NCS S 2005–Y10R) and lacquered olive grey (RAL 6006), an diffusing screen made of satin opal acid-etched blown glass. Black electrical cable, 2 meters long. Hanging versions come with a steel cable with internal safety system, for adjusting the desired height of the head.

4783



Código

Code

4782 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
4783 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
4784 ● Lacado negro mate/ Matt black lacquering (RAL 9005)

Acabados

Finishes

Properties

Canopies for one, three or five suspensions. Individually each canopy has a rotation system from its axis, up to 350 degrees.

Half 25 S.



Características

Esfera de 250 mm diámetro, formada por dos medias bolas: base estampada en acero con acabados en lacado negro mate (RAL 9005), lacado visón (NCS S 2005–Y10R) y lacado oliva gris (RAL 6006) y, pantalla difusora en vidrio soplado opal satinado al ácido. Cable eléctrico negro, de 2 metros de longitud. Los colgantes disponen de cable de acero con sistema interno de seguridad, para regulación de la altura deseada del cabezal.

Acesorios

Accessories

4782



4784



Características

Bases de fijación a techo para uno, tres colgantes. Disponen de un sistema de rotación individual desde su eje, hasta 350 grados.

Datos técnicos

Technical data



Ø250 mm | H Max. 1.600 mm
1 x E27 Lámpara Standard | Standard bulb retrofit LED Code 2096 10 W
880 lumens | 2.700K
Dimable | Dimmable
Clase II: Aislamiento básico
más aislamiento reforzado
Class II: Basic insulate plus reinforced insulation

Código

Code

6736 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
6737 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
6738 ● Lacado oliva gris / Grey olive lacquering (RAL 6006)

Acabados

Finishes

Properties

Sphere of 250 mm diameter, formed by two hemispheres: bases stamped in steel with finishes in lacquered matte black (RAL 9005), lacquered mink (NCS S 2005–Y10R) and lacquered olive grey (RAL 6006), an diffusing screen made of satin opal acid-etched blown glass. Black electrical cable, 2 meters long. Hanging versions come with a steel cable with internal safety system, for adjusting the desired height of the head.

Código

Code

4782 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
4783 ● Lacado negro mate/ Matt black lacquering (RAL 9005)


Acabados

Finishes

Properties

Canopies for one, three suspensions. Individually each canopy has a rotation system from its axis, up to 350 degrees.

Half 35 S.



Datos técnicos Technical data




Ø 350 mm | H Max. 1.700 mm
1 x E27 Lámpara Standard | Standard bulb retrofit LED Code 2298 12 W
1.100 lumens | 2.700K
Dimable | Dimmable
Clase II: Aislamiento básico más aislamiento reforzado
Class II: Basic insulate plus reinforced insulation

Características

Esfera de 350 mm diámetro, formada por dos medias bolas: base estampada en acero con acabados en lacado negro mate (RAL 9005), lacado visón (NCS S 2005–Y10R) y lacado oliva gris (RAL 6006) y, pantalla difusora en vidrio soplado opal satinado al ácido. Cable eléctrico negro, de 2 metros de longitud. Los colgantes disponen de cable de acero con sistema interno de seguridad, para regulación de la altura deseada del cabezal.

Acesorios Accessories

4782



4785



Características

Bases de fijación a techo para uno, tres colgantes. Disponen de un sistema de rotación individual desde su eje, hasta 350 grados.

Código Code

6739 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
6740 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
6741 ● Lacado oliva gris / Grey olive lacquering (RAL 6006)

Acabados Finishes

Properties

Sphere of 350 mm diameter, formed by two hemispheres: bases stamped in steel with finishes in lacquered matte black (RAL9005), lacquered mink (NCS S 2005–Y10R) and lacquered olive grey (RAL 6006), an diffusing screen made of satin opal acid-etched blown glass. Black electrical cable, 2 meters long. Hanging versions come with a steel cable with internal safety system, for adjusting the desired height of the head.

Código Code

4782 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
4785 ● Lacado negro mate/ Matt black lacquering (RAL 9005)

Acabados Finishes

Properties

Canopies for one, three suspensions. Individually each canopy has a rotation system from its axis, up to 350 degrees.

Half 16 P.



Datos técnicos Technical data



Ø 160 mm
1 x E27 Solo lámpara standard dimable
Only standard bulb dimmable retrofit LED Code 2097 5,5 W | 1.100 lumens | 2.700K
Dimable | Dimmable
Clase II: Aislamiento básico más aislamiento reforzado
Class II: Basic insulate plus reinforced insulation

Características

Esfera de 160 mm diámetro, formada por dos medias bolas: base estampada en acero con acabados en lacado negro mate (RAL 9005), lacado visón (NCS S 2005–Y10R) y lacado oliva gris (RAL 6006) y, pantalla difusora en vidrio soplado opal satinado al ácido. Modelo con intensidad luminosa regulable mediante sistema táctil de 4 posiciones. Cable eléctrico negro de 2.8 metros de longitud. Enchufe eléctrico incluido.

Acesorios Accessories

4763 4769



4766

Imán neodimio
Neodymium magnet



4767

Base sujecion pared 1 conexión
One-connection wall base



4768

Base sujecion pared 2 conexiones
Two-connection wall base



Código Code

4763 ● Mármol negro / Black Marble
4769 ● Madera Fresno / Ash wood
4766 ● Lacado negro mate/ Matt black lacquering (RAL 9005)

Acabados Finishes

Características

Bases de mármol y madera de fresno. Pie de salón dispone de dos imanes de neodimio para facilitar la fijación de las partes metálicas de las esferas. Dispone de dos bases de fijación a pared: para una o dos conexiones. La base con imán de neodimio dispone de código propio para seleccionar las unidades necesarias.

Código Code

6742 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
6743 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
6741 ● Lacado oliva gris / Grey olive lacquering (RAL 6006)


Acabados Finishes

Properties

Sphere of 160 mm diameter, formed by two hemispheres: bases stamped in steel with finishes in lacquered matte black (RAL 9005), lacquered mink (NCS S 2005–Y10R) and lacquered olive grey (RAL 6006), an diffusing screen made of satin opal acid-etched blown glass. Model with adjustable intensity using a 4-position touch system. Black electrical wire, 2.8 meters long. Electric plug included.

4777–4778

Pie de salón con 2 imanes de neodimio
Two neodymium magnet floor lamp



4767 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4768 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
4777 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
4778 ● Lacado negro mate/ Matt black lacquering (RAL 9005)

Properties

Marble and ash wood bases. Floor stand has two neodymium magnets to facilitate the fixing of the metal part of the spheres. Has two bases for wall fixing: for one or two connections. Neodymium magnet base has its own code for selecting the units that can be considered.

Half 25 P.



Datos técnicos Technical data



Ø 350 mm | H Max. 1.700 mm
1 x E27 Lámpara Standard | Standard bulb retrofit LED Code 2298 12 W
1.100 lumens | 2.700K
Dimable | Dimmable
Clase II: Aislamiento básico más aislamiento reforzado
Class II: Basic insulate plus reinforced insulation

Características

Esfera de 160 mm diámetro, formada por dos medias bolas: base estampada en acero con acabados en lacado negro mate (RAL 9005), lacado visón (NCS S 2005–Y10R) y lacado oliva gris (RAL 6006) y, pantalla difusora en vidrio soplado opal satinado al ácido. Modelo con intensidad luminosa regulable mediante sistema táctil de 4 posiciones. Cable eléctrico negro de 2.8 metros de longitud. Enchufe eléctrico incluido.

Acesorios Accessories

4751 4755
4752 4756



Código Code

4751 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4752 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
4755 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4756 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)

Características

Bases de mármol y de madera de fresno disponen de un imán de neodimio para facilitar la fijación de la parte metálica de la esfera. Trípodes fabricados en acero con unión mediante soldadura de plata. Disponen de topes de goma, tanto en la parte superior dónde se asienta la esfera, como en la parte inferior como protección del piso. Enchufe eléctrico incluido.


Código Code

6745 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
6746 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
6747 ● Lacado oliva gris / Grey olive lacquering (RAL 6006)

Properties

Sphere of 160 mm diameter, formed by two hemispheres: bases stamped in steel with finishes in lacquered matte black (RAL 9005), lacquered mink (NCS S 2005–Y10R) and lacquered olive grey (RAL 6006), and diffusing screen made of satin opal acid-etched blown glass. Model with adjustable intensity using a 4-position touch system. Black electrical wire, 2.8 meters long. Electric plug included.

4759 4764
4760 4770



4759 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4760 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
4764 ● Mármol negro / Black Marble
4770 ● Madera Fresno / Ash wood

Properties

Marble and ash wood bases have a neodymium magnet that helps to the fit the metallic part of the sphere. Tripods made of steel with silver solder. They have rubber stops, both in the upper part where the sphere sits, and in the lower part as floor protection. Electric plug included.

Half 35 P.



Datos técnicos Technical data



Ø 350 mm
1 x E27 Solo lámpara esférica dimable
Only dimmable spherical bulb retrofit LED
Code 2298 12 W | 1.100 lumens | 2.700K
Dimable | Dimmable
Clase II: Aislamiento básico más aislamiento reforzado
Class II: Basic insulate plus reinforced insulation

Características

Esfera de 350 mm diámetro, formada por dos medias bolas: base estampada en acero con acabados en lacado negro mate (RAL 9005), lacado visón (NCS S 2005–Y10R) y lacado oliva gris (RAL 6006) y, pantalla difusora en vidrio soplado opal satinado al ácido. Modelo con intensidad luminosa regulable mediante sistema táctil de 4 posiciones. Cable eléctrico negro de 2.8 metros de longitud. Enchufe eléctrico incluido.

Acesorios Accessories

4753 4757
4754 4758



Código Code

4753 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4754 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
4757 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4758 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)

Características

Bases de mármol y de madera de fresno disponen de un imán de neodimio para facilitar la fijación de la parte metálica de la esfera. Trípodes fabricados en acero con unión mediante soldadura de plata. Disponen de topes de goma, tanto en la parte superior dónde se asienta la esfera, como en la parte inferior como protección del piso. Enchufe eléctrico incluido.


Código Code

6748 ● Lacado negro mate/ Matt black lacquering (RAL 9005)
6749 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
6750 ● Lacado oliva gris / Grey olive lacquering (RAL 6006)

Properties

Sphere of 350 mm diameter, formed by two hemispheres: bases stamped in steel with finishes in lacquered matte black (RAL 9005), lacquered mink (NCS S 2005–Y10R) and lacquered olive grey (RAL 6006), an diffusing screen made of satin opal acid-etched blown glass. Model with adjustable intensity using a 4-position touch system. Black electrical wire, 2.8 meters long. Electric plug included.

4761 4765
4762 4771



4761 ● Lacado negro mate / Matt black lacquering (RAL 9005)
4762 ● Lacado visón / Mink lacquering (NCS S 2005–Y10R)
4765 ● Mármol negro / Black Marble
4771 ● Madera Fresno / Ash wood

Properties

Marble and ash wood bases have a neodymium magnet that helps to the fit the metallic part of the sphere. Tripods made of steel with silver solder. They have rubber stops, both in the upper part where the sphere sits, and in the lower part as floor protection. Electric plug included.

